References

1. Rajesh Kumar, Shiv Shankar Yadav(2014), "MadhuTripathi. Studies on Length Weight Relationship of Seven Commercially Important Freshwater Fish Species of Gomti River Lucknow(U.P.) India", *International Journal ofFisheries And Aquatic Studies*, Vol.1, No.3, PP1-3
2. Fibin Baby, JosinTharianKurian Mathew Abharam, M.R. Ramprasanth, Anvar Ali and Rajeev Raghawan(2011), "Length Weight Relationship And Condition Factor Of An Endemic Stone Sucker , GarraGotylaStenorhynchus (Jerdon, 1849) From Two Opposite Flowing Rivers in Southern Western Ghats*",Journal of Threatened Taxa*, Vol.3, No. 6, PP.1851-1855
3. S. B. Georgiev 2003, length-weight relationship of six CYPRINID fish in the river Vardar (REPUBLIC OF MACEDINIA), *Ribarstvo*,(3): PP89-102
4. AmtyazShafi, M. Usman Ali Hashmi and M. Zaheer Khan 2014, length weight relationship and condition factor of striped piggy fish, Pomadasysstridens (Forskal, 1775) from karachi coast, pakistan*, Journal of Entomology and Zoology studies*, 2(5) PP25-30
5. N.C. Ujjania, M. P. S. Kohli and L.L. Sharma 2012, length weight relationship and condition factors of Indian major carps (C. catla, L. rohita and C. mrigala) in Mahi Bajaj Sagar, India, *Reseach journal of Biology* VOL.02 pp30-36
6. M. RokshanaraPervin and M. Golam. Mortuza 2008, Notes on length weight relationship and condition factor of fresh water fish, Labeoboga (Hamilton) (Cypriniformes: Cyprinidae Univ. j. *Rajshahi university zoological society*. Vol.27 pp.97-98
7. MasoomaKhawar, RizwanaKalsoom, ZubiaMasood, ZaighamHasan, FarhatIqbalWajeehaRazzaq and Hameed-Ur-Rehman, 2015, length weight relationship,condition and relative condition parameters of MUgilincilus (Mugilidae: Mugiliformes) collected from the river Indus of district Sukkur, Pakistan, Biological Forum _ *An international journal*, vol.7(1) pp793-799
8. P. L. Lalrinsanga, Bindu R. Pillai, GunamayaPatra, SwagatikaMohanty, NamitaKumariNaik, Sovan Sahu,2012, length-weight relationship and condition factor of gaint freshwater PrawanMacrobrachiumrosenbergii (De

Man, 1879) based on developmental stages, culture stages and sex, *Turkish journal of Fisheries and aquatic sciences*, vol.12.pp917-924

9. Kalpana M. Patil and Meena U. Patil 2012, length weight relationship and condition factor of freshwater crab Barytelphusagurini,(Decapoda, Brachyura),*Journal of experimental Sciences*, vol.3(5), pp 13-15.
10. GolamMortuza M. and Fahad A. Al-MIsned,2015, length weight relationship of twelve fishes from the river Padma near Rajshahi city, Bangladesh, *Fisheries and Aquaculture Journal*, vol.6 pp.1-2
11. RimzhimGogoi, Umesh. C. Gosami, Length-Weight relationship and sex ratio of fresh water fish Amblypharyngodonmola (HAM-BUCH) from Assam, *International Journal of Fisheries and Acquatic Studie*s, VOL.1(4) 2014, pp.68-71
12. OnomeAugustina Davies, Charles Commander Tavari, Keme-Iderikumo Keen, Length-weight Relationship, Condition Factor and Sex Ratio of Clariasgariepinus Juveniles Reared in Concrete Tanks, *International Journal of Scientific Research in Environmental Sciences (IJSRES*), VOL. 1(11) 2013, pp. 324-329
13. NaeemaElahi, FarzanaYousuf, SadafTabassum, Avid Raza. Length-weight relationship (lwr) condition factor and seasonal distribution of sardinellasindensis (day,1878) through size frequency variation from the Baluchistan Coast, Pakistan. *International Journal of Funa and Biological Studies*, Vol.2(3) 2015, pp.96-99.
14. AlirezaRadkhah, HashemNowferesti. Study on length-weight relationship and condition factor of Capoetatrutta from Kangir and Seimare Rivers, *Western Iran*, VOL.4(1) 2016, pp.121-123
15. Sharma R.K. and Bhat R.A., Length-weight relationship, condition factor of rainbow Trout (Oncorhynchusmykiss) from Kashmir waters, *Scholars Research library*, VOL.6(8) 2015, pp. 25-29
16. Olapade JO and S Tarawallie, The length-weight relationship, condition factor and reproductive Biology of pseudotolithus (p) senegalensis (Valenciennes,1983)(croakers), in tombo Western Rural District Of Sierra

Leone, *African Journal of food, Agriculture, nutrition and development*, VOL. 14, issue. 6 Oct. 2014, pp. 2176-2187

17. SamarendraBehera, BabetjanaiIangari , Sanjeev Kumar , RinkuGogoi and Pushpendrasinghsenger, Length weight relationship and relative condition factor of MrigalCirrhinusMrigala (Hamilton) of panchasayar water body of West Bengal*, International Journal of Science and Nature*, VOL. 6(2) 2015 pp.201-204
18. .J.F.N. Abowei, and E.N. Ezekiel, The length weight relationship and condition factor of Chrysichthysnigrodigitatus (Lacepède,1803) from Amassoma River flood plains, *Scientiaagriculturae*, VOL. 3(2) 2013, pp.30-38
19. AndemAndem B, ldung Joseph U., Eni George E. and George Ubong U., Length weight relationship and Fulton's condition factor of brackish river Prawn (Macrobrachiummacrobrachion, Herklots,1851) from great Kwa river, ObufaEsuk beach, Cross river state*, Nigeria, Pelagia Research Library,* VOL. 3(3) 2013, pp. 722-730
20. Ezekiel, E.N and Abowei J.F.N., The length weight relationship and condition factor of Flathead Mullet, Mugilcephalus (Linnaeus,1758) from Amassoma flood plains. *Niger Delta, Nigeria, Annals of Biological sciences*, VOL. 2(2) 2014, pp.18-26
21. Samarendrabehera, B. K. Biswas, Sanjeev Kumar and RinkuGogoi 2015, length weight relationship and condition factors of Bombay duck, harpodonnehereus from edtuarine region of kakdwip, west bengal, 2015*, Innovation Association*, vol.4(2), pp.59-66